# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L1 | 3992 | (first with address) same (second with address) same (correct$6 or true or incorrect) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:06 |
| L2 | 1368 | 1 same control$6 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:03 |
| L3 | 12563 | address adj generator | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:06 |
| L4 | 1724 | instruction adj schedul$6 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:06 |
| L5 | 444 | 1 and 3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:06 |
| L6 | 16 | 4 and 5 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:11 |
| L7 | 13266 | recovery adj (unit or device or element) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:15 |
| L8 | 1 | 1 same legacy | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:16 |
| L9 | 125 | 1 and legacy | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:16 |
| L10 | 81 | 3 and 9 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:17 |

| L11 | 14 | 2 and legacy | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:25 |
|-----|------|-----------------------|---------------------------------------|-----|------|------------------|
| L12 | 2 | 3 and 11 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF . | 2006/12/18 15:19 |
| L13 | 849 | legacy with mode | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:19 |
| L14 | 0 | 1 same 13 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:19 |
| L15 | 0 | 1 and 13 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:20 |
| L16 | 0 | 3 same 13 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:20 |
| L17 | 1110 | legacy with address$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:25 |
| L18 | 78 | 1 and 17 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:25 |
| L19 | 73 | 3 and 18 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:25 |
| L20 | 1 | 2 and 19 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:26 |

| L21 | 1751 | legacy with (bit or mode or state or carry) | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:28 |
|---|---|---|---|---|---|---|
| L22 | 9950 | 1 sme 21 | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:29 |
| L23 | 1 | 1 same 21 | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:31 |
| L24 | 24230 | (compar$8 or deci$9 or choos$6 or other) same first same second same address$5 | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:34 |
| L25 | 0 | (compar$8 or deci$9 or choos$6 or other or select$6) same (first adj address) same (second adj address) same version same (older or previous or upgraded) | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:36 |
| L26 | 21 | ((compar$8 or deci$9 or choos$6 or other or select$6) same (first adj address) same (second adj address)) and (version same (older or previous or upgraded)) | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:50 |
| L27 | 571 | ("16" with bit with address$6) same ("32" with bit with address$6) same mode | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:55 |
| L28 | 0 | 27 same (older with version) | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:55 |
| L29 | 4136 | different with instruction with set$2 | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:56 |
| L30 | 0 | 1 same 29 | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:56 |

| L31 | 73 | 1 and 29 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:56 |
|---|---|---|---|---|---|---|
| L32 | 2099 | 1 and mode | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 15:57 |
| L33 | 43 | 31 and mode | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 16:18 |
| L34 | 25 | ((older or previous) with (instruction adj set)) same ((newer or updated or recent) with (instruction adj set)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 16:32 |
| L35 | 221 | (711/212).CCLS. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 16:33 |
| L36 | 771 | (711/220).CCLS. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 16:34 |

| L37 | 54 | (("4296469") or ("5666522") or ("5765216") or ("6047381") or ("4338661") or ("5297281") or ("5974525") or ("5996071") or ("4307445") or ("4325121") or ("4920480") or ("4991080") or ("5182754") or ("RE34850") or ("5589885") or ("5675758") or ("5701448") or ("5970512") or ("6005590") or ("6105126") or ("6957322") or ("4247894") or ("4342078") or ("4755937") or ("5410660") or ("5524267") or ("5590302") or ("5644519") or ("5867699") or ("5907708") or ("6064815") or ("6085313") or ("6141747") or ("6208543") or ("6219784") or ("6219784") or ("6625722") or ("6874081") or ("6101551") or ("5925121") or ("4418386") or ("4858109") or ("4967339") or ("5355335") or ("5802556") or ("4868740") or ("5826074") or ("4514803") or ("4413319") or ("5212776")). PN. | US-PGPU B; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/12/18 16:34 |